

**INDUSTRY LEADER IN
COMPOSITE TECHNOLOGY**

**STONWORKS
SPECIALIST**

Int'l. Corporation



INDUSTRIAL



ARCHITECTURAL

**PRODUCT CATALOG
2021**



MARINE



www.stoneworkscorp.com

Industry Leader in Composite Technology

**STONEWORKS
SPECIALIST**

Int'l. Corporation



SSIC OFFICES:



GENERAL TRIAS PLANT



GENERAL SANTOS PLANT

- ❖ *STONEWORKS SPECIALIST started operation in 1997 producing cultured stones, Tiffany Marbles, Cultured Granite, Cultured Onyx and Solid Surface stone.*
- ❖ *The expertise also in Stone Production led to diversify and produce Fiberglass products (FRP) that were also demand for construction industry.*
- ❖ *In the year 2000, the company ventured into fiberglass boat building. This led to a boat brand Orient Craft-Stoeworks Marine.*

- Member of CFA (Composite Fabricators Association)
- Member of ICPA (International Cast Polymer Association)
- Member of ABYC (American Boat and Yacht Council)
- Awarded the International Star Award Quality Convention (Geneva 2002)



SOLID SURFACE



Benefits of Solid Surface

- Cost Effective
- Will not stain easily
- Bacteria Resistance
- May be custom-built in most any color, size or shape
- Shock Resistant
- Non-porous
- One-piece, seamless construction



- Easy to clean
- Impact & fire resistance
- Hygienic & Environmentally friendly
- Non – Toxic & Non – Porous



Lighter and Stronger . .

WALL CLADDING (SOLID SURFACE & FIBERGLASS)



Benefits of Solid Surface Cladding

- Durable and Easy to Maintain
- Weather and UV Resistant
- Sanitary and Easy to Clean

Solid surface cladding are well placed in kitchens, hospitals, and other related businesses and locations because their non-porous surface doesn't support bacterial growth. They can also be sanitized without hurting the material or finish.



Perfect Solutions for:

- Commercial Kitchen
- Washrooms
- Canteen Walls
- Food Processing Area
- Elevator Cladding
- FRP Frieze / Decorative Cladding
- Changing Areas
- Food Store Rooms
- Hospitals




FRP Wall / Ceiling Cladding

Benefits of FRP Wall & Ceiling Cladding



- Easy to clean
- Durable
- Easy to install
- No painting required
- Light weight
- Tough-resists scratches, cracks, rust, mildew, stains and dents



FRP Frieze

Let's Go Play!

It's more fun with Stoneworks

PLAYground!



Well designed and constructed – fun and colorful, Stoneworks' FRP Playgrounds provide an amazing place for kids to play in an imaginative world of fun and adventure. It gives the kids the space they want to be able to play freely and at the same time aid in developing the child's physical coordination, strength and flexibility.

Stoneworks offer an extensive range of playground equipment that covers all age groups.



- Easy to install & cost effective
- Specifically for use in playgrounds
- Guaranteed to last
- Variable option for design
- Low maintenance, modular system

integrated Play Equipment



DAY CARE PLAYGROUND (5.5m x 5.5m)

- 2 Day care slide
- Monkey bars
- Tic-Tac-Toe
- FRP stair with steel railing

SUITABLE FOR AGES 3 TO 6 YRS. OLD.



PLAYGROUND 1 (5m x 11m)

- 1 Small wave slide
- 1 Small slide
- 1 Long wave slide
- 1 Tube slide
- 1 Crawl tube
- 2 FRP Roofing
- 2 FRP stairs with steel railing
- FRP Panel

SUITABLE FOR AGES 3 TO 6 YRS. OLD.



PLAYGROUND 2 (13m x 10m)

- 1 Small wave slide
- 1 Spiral slide
- 1 small tube slide
- Crawl Tube
- Alternative step bridge
- 4 FRP Wave roofing
- 2 FRP Stair with steel railing
- 1 FRP Coconut tree

SUITABLE FOR AGES 7 TO 12 YRS. OLD.



PLAYGROUND 3 (10.5m x 8.5m)

- 1 Spiral slide
- 1 Small slide
- 1 Long slide
- 1 Tube slide
- 1 Long Crawl tube
- Monkey bar
- 1 FRP Bridge with steel frame
- 1 FRP Stair with steel railing



PLAYGROUND 4 (13m x 9m)

- Triple small wave slide
- 1 Small wave slide
- 1 S - Tube slide
- 1 Medium Crawl tube
- 1 Short Crawl tube
- Tic-Tac-Toe
- Wave-Type Monkey Bars
- 4 FRP Roofing
- 1 FRP Cone Roofing
- FRP Stair with steel railing

MOST PREFERRED ✓



PLAYGROUND 5 (7.5m x 7m)

- 1 Spiral Wave
- 1 Small Wave Slide
- 2 Seater Swing
- 1 FRP Roofing & Floor
- 1 FRP Panel
- 1 FRP Stair with Steel Railing

SUITABLE FOR AGES 7 TO 12 YRS. OLD.



PLAYGROUND 6 (16.5m x 11.5m)

- 1 Tube Slide
- 1 Crawl Tube
- 2 Small Slide
- 2 FRP Roofing & Floor
- 1 FRP Tic-Tac-Toe
- Monkey Bar
- 2 Seater Swing
- 1 FRP stair with steel railing






PLAYGROUND 7 (5m x 7.5m)

- 1 Day Care Slide
- 2 Crawl Tube
- 1 Tube Slide
- FRP Roofing
- Tic-Tac-Toe
- 1 FRP Stair with steel railing

SUITABLE FOR AGES 3 TO 7 YRS. OLD.



PLAYGROUND 8 (8m x 9m)

- 1 Tube Slide
- 1 Small wave slide
- 1 Day care slide
- 2 Crawl Tube
- 2 Seater Swing
- 1 Monkey Bar
- 2 FRP Roofing
- Tic-Tac-Toe
- 1 FRP Stair with steel railing

SUITABLE FOR AGES 7 TO 12 YRS. OLD



PLAYGROUND 9 (8.5m x 8m)

- 1 Tube Slide
- 1 Small Slide
- 2 FRP Bridges with steel frame
- 3 FRP Roofing
- FRP Panel
- FRP Banana Leaf
- FRP Rock Climber
- 1 FRP Stair with steel railing

SUITABLE FOR AGES 7 TO 12 YRS. OLD.



PLAYGROUND 10 (9.5m x 5m)

- 1 Tube Slide
- FRP Rock Climber
- 1 Crawl Tube
- Snake ladder
- 1 FRP Stair with steel railing

SUITABLE FOR AGES 3 TO 7 YRS. OLD.



PLAYGROUND 11 (9.5m x 8m)

- 1 Tube Slide
- 2 Small Wave Slide
- 1 Crawl Tube
- 2 FRP Roofing
- 1 Tic-Tac-Toe
- 1 Stair
- FRP Panels design
- 1 FRP Stair with steel railing
- 2 Rib ladder



PLAYGROUND 12 (8m x 10m)

- Tube Slide
- 1 Small Slide
- 2 FRP Bridges with steel frame
- 1 Spiral Slide
- 1 Crawl Tube
- 2 Snake Ladder
- 1 Rib Stair
- 1 FRP Roofing
- FRP Panel



PLAYGROUND 13 (9m x 9m)

- 1 Small Wave slide
- 1 Day Care slide
- 4 Crawl Tube
- FRP Rock Climber
- 2 FRP Roofing
- 1 FRP Stair with steel railing
- Four-Seat seesaw



PLAYGROUND 14 (11m x 6.5m)

- 1 Long Wave slide
- 2 Big twin slide
- 1 Day Care slide
- 2 FRP Rock climber
- 1 Crawl tube
- 2 Roofing
- 1 FRP Stair with panel
- 1 FRP Design panel



PLAYGROUND 15 (8m x 6m)

- 2 Small Wave Slide
- 1 Spiral Slide
- FRP Rock Climber
- 1 Crawl Tube
- 1 Stair
- 1 FRP Skylight Roofing
- FRP Panels
- 3 FRP Coconut Trees



PLAYGROUND 16 (6m x 5m)

- 2 Small Wave Slide
- 1 Crawl Tube
- 1 Snake Ladder
- Tic-Tac-Toe
- FRP Panels
- 1 Cone Roofing
- 3 FRP Big leaves



PLAYGROUND 17 (13m x 7m)

- 2 Small slide w/ arch
- 1 Snake tube slide
- 1 Spiral slide
- FRP Cone Roofing
- Tic-Tac-Toe w/ panel
- 1 Stair with steel railing
- FRP Panels w/ acrylic glass
- 3 Roofing



PLAYGROUND 18 (7.5m x 5.5m)

- Tube Slide
- 2 Bridges with steel frames
- 1 Spiral Slide w/ arch
- 1 Rib ladder
- 1 Rope Climber
- 1 FRP Stair with steel railing
- 1 FRP Roofing
- FRP Panel




PLAYGROUND 19 (12m x 9m)

- 1 Wave Slide
- 1 Croc Slide
- 1 Spiral Slide w/ arch
- 1 Crawl Tube
- Tic-Tac-Toe with FRP panel
- 1 FRP Rock Climber
- 2 FRP Roofs w/ design
- FRP Panels w/ acrylic glass
- Ladders w/ FRP stairs
- 2 FRP umbrella roofing
- 1FRP Swing



PLAYGROUND 20 (8.5m x 6m)

- 1 Small slide
- 3 Elbow Crawl tube
- 1 Tic-Tac-Toe
- FRP Flooring



INDOOR PLAYGROUND EQUIPMENT

PLAYGROUND 1 (6m x 5.5m)

- 2 Small Croc Slide
- 1 FRP Day Care slide w/ Eagle arch
- 1 Croc Panel
- FRP Roof w/ design
- Stair with steel railing
- 1 Sunflower



SUITABLE FOR AGES 3 TO 6 YRS. OLD.

PLAYGROUND 3 (6m x 6m)

- Twin Small Slide w/ arch
- 1 Wave Slide w/ arch
- 1 Croc Slide
- 1 Caterpillar Stair
- 1 Crawl Tube
- 3 FRP decorative Post




• In house designers available to help your requirement


HDPE PLAY EQUIPMENT



HDPE PLAYGROUND 4
(9.5m x 7.4m x 5.65m)




Two Seater Seesaw
(240cm x 40cm x 75cm)



Spring Rider
(75cm x 38cm x 80cm)



Rubber Tiles (500mm x 500mm)
Thickness : 25mm



3 Seater Swing
(500cm x 130cm x 220cm)



Merry Go Round
(130cm x 170cm)

HDPE PLAY EQUIPMENT



HDPE INDOOR OUTDOOR
Size: 160x170x130 cm



HDPE INDOOR OUTDOOR
Size: 665x435x160 cm



HDPE INDOOR OUTDOOR
Size: 320x220x160 cm



HDPE INDOOR OUTDOOR
Size: 190x280x193 cm



HDPE INDOOR OUTDOOR
Size: 308x180x175 cm



HDPE INDOOR OUTDOOR
Size: 160x170x108 cm



HDPE INDOOR OUTDOOR
Size: 220x170x130 cm



HDPE INDOOR OUTDOOR
Size: 220x170x130 cm




HDPE INDOOR OUTDOOR
Size: 186x219 x122 cm

RUBBER MATTING



Size: 50x50 cm



FRP CUSTOMIZED PLAYGROUNDS



Customize Your Own Playground!





FRP SPRINGERS AND WHIRL



WHIRL(4m x 4m)



CAR SPRINGER



PANDA SPRINGER



TWO RIDER SPRINGER
(2m x 2m)

What makes these springers different from the rest is a combination of competitive pricing, attractive designs and straightforward installation, creating a product that will appeal to you as well as the children that will use them.

- Durable, Impact resistant,
- And will not rot, crack or delaminate.

Seats are made using slip-resistant panels, and are fully supported with purpose made seat support brackets.



CAR SPRINGER



PUPPY SPRINGER



WHALE SPRINGER



The swing and see-saw & climber are powder coated metal with FRP seat, complete with anchor system for added stability.

Attractive and very stylish color combination, looks amazing in a garden setting and perfectly compliments our Swing Sets in the same range.



FRP SWING & SEE-SAW



SEE-SAWS (2m x 4m)





2 Seat Swing

- With FRP moulded parts in bright primary colors which are attractive to kids.
- This is suitable for younger age groups.



- 2 Seat See-Saw
 - 2 Whale Seat See-Saw
- Designed for kids age : 3-9



(4m x 5m)



FRP WATERPARK EQUIPMENT

Water park for Fun & Adventure!

Your health and safety is our utmost concern. It is important to Stoneworks Specialist the assurance of its water park equipment to facilitate the enjoyment of your aquatic recreation experience.

FRP Waterpark Equipment Benefits

- Quick Installation
- Superior Strength
- Economical
- Corrosion Resistance
- Smooth & Safe
- Durable
- Low Maintenance
- Environmental Friendly





FRP INTERACTIVE WATER PLAYGROUND EQUIPMENT



Waterpark Accessories

Offering a wide range of water park accessories such as :

- A. FRP Water Play
- B. Pool See-saw
- C. Water Gun
- D. Raining Pillar
- E. Umbrella Water Spray
- F. Shell Slide
- G. Apple House



Swimming pool on rooftop



THEMING

Give story to a slide that visitors can connect to. We offer custom themes that give an edge to slides and help them to stand out from competition

The process involves

- Storyboarding
- Visualization & Reference
- Sketching
- Basic Theming
- Advanced Theming




WATER PLAY STRUCTURE



OUTDOOR ADULT FITNESS

Caters to the health and fitness needs of all age groups. These stations are user-friendly and comes with an optional on site self-explanatory illustrated signage. All outdoor stations are made durable to withstand extreme weather conditions.





ARM AND LEG STRENGTH
(230cm x 70cm x 188cm)



DOUBLE SPACE WALKER
(180cm x 35cm x 120cm)



PRO CYCLE
(105CM X 50CM X 140CM)



HIP TWISTER
(180cm x 180cm x 150cm)



TRIPLE CYCLING
(240CM X 240CM X220CM)



DOUBLE PRO CYCLE
(150cm x 122cm x 145cm)



SEATED LEG PRESS
(190CM X 45CM X 145CM)



COUPLE PRO CYCLE
(150cm x 55cm x 150cm)



MINI SKI
(120cm x 85cm x 150cm)



SEATED LEG PRESS
(240cm x 240cm x 220cm)

ANIMAL



fr 090009
Silver Back Gorilla
Dimension: 85 x 70 x 115cm
Weight : 18kg




fr 110026
Chimpanzee
Dimension: 47 x 41.9 x 69.9cm
Weight : 10kg



fr 120040
Hanging Chimpanzee
Dimension: 36.8 x 36.8 x 98.4cm
Weight : 4.8kg



fr 110040
Eating Panda
Dimension: 95 x 69 x 109cm
Weight : 17kg



fr 120073
Fat Pig
Dimension: 128 x 50 x 80cm
Weight : 14.9kg



fr 130077
Fat Pig Bench
Dimension: 127.6 x 48.3 x 78.7cm
Weight : 23.5kg



fr 020505PB
Large Pig Pink&Nik
Dimension: 114.9 x 48.6
Weight : 12.1kg



fr 120003
Guemsey Cow
Dimension: 142 x 50.8 x 114.3cm
Weight : 22.3kg



fr 120020
Cowch
Dimension: 168 x 94 x 108cm
Weight : 52.3kg



fr 120058
Zebra Seat
Dimension: 173 x 80 x 110cm
Weight : 42.3kg



fr 080071
Staffordshire Terrier
Dimension: 46 x 32 x 56cm
Weight : 4.2kg



fr 130084
Peeing Bulldog
Dimension: 64.1 x 38.1 x 37.5cm
Weight : 4.6kg



fr 110108
Fallow Deer - Fawn
Dimension: 83.2 x 29.2 x 80cm
Weight : 8.3kg



fr 100044
Goat
Dimension: 81.9 x 28.5 x 80.6cm
Weight : 7.5kg



fr 100019
Standing Horse - Life Size
Dimension: 229x 58 x 209cm
Weight : 52kg



fr 130054
Galloping Horse
Dimension: 226x 66 x 191cm
Weight : 64kg

Full Catalog available upon request



FIBEROOF

The New Material of Choice




Corrugated (Standard)

Thickness	Width
1mm - 3mm	1m

Advantage of Fiberglass Roofing

- Being flexible, FRP roofing panels can be easily installed.
 - Excellent Corrosion Resistance
 - Superior Heat Resistance
 - Translucent which allow natural light to pass
 - Less maintenance
 - Light weight, strong
 - Environment Friendly
-
- Can withstand cutting, drilling, punching, sawing & nailing. Can be easily bent, as to fit the frames.



TRIMDECK

Thickness	Width
1mm - 3mm	1m

- Custom cut to length.
- Can be used for both roofing and walling applications
- Designed to fix with ease and speed
- Lightweight sheets and high spanning capacity make this an economical profile




FLAT SHEET

Available in Standard Colors:

- Red
- Blue
- Gray
- Green
- Clear

FRP Sheet providing high quality FRP Products. Flat sheet is widely used for roof, wall, and inner wall en-lighting.

FRP ROOF RAIN GUTTER




GUTTER
30cm x 30cm

Thickness	Width	Length
1mm	0.5m	8ft
2mm	0.5m	8ft
3mm	0.5m	8ft

Thickness	Width	Length
1mm	0.5m	10ft
2mm	0.5m	10ft
3mm	0.5m	10ft

Thickness	Width	Length
1mm	0.5m	12ft
2mm	0.5m	12ft
3mm	0.5m <td 12ft	



Advantages of FRP Gutter:

- Light weight
- Easy to Install
- Easy to repair
- Low maintenance
- Corrosion resistant: Corrosion free and weather proof composite structures.

Fiberglass Ridge Roll & Fiberglass Gully



Fiberglass gutter system is best substitute for conventional M.S. / G.I / A.C. / RCC / Aluminium/ Galvalume Gutter for industrial roofing.

Comparison of fiberglass to other Materials

	FRP	Aluminum	Steel	Wood
Corrosion Resistance	FRP structural products are corrosion resistant to a broad range of chemicals. In many structural applications where wood rots and metals corrode, pultruded FRP products will last indefinitely with little or no maintenance.	Aluminum shapes can cause galvanic corrosion. Corrosion resistance can be increased for aluminum through anodizing or other coatings.	Steel is subject to oxidation and corrosion. Steel requires painting or galvanizing for many applications.	Wood can warp, rot and decay from exposure to moisture, water and chemicals and is susceptible to insect attack (marine borers, termites, etc.).
Strength	Pultruded structural shapes have a high strength-to-weight ratio and pound for pound are stronger than steel in the lengthwise direction. Fiberglass products distribute impact loads to prevent surface damage even in sub-zero temperatures and will not permanently deform under impact.	Aluminum is also a homogeneous material and easily deforms under impact.	Steel is a homogeneous material. Steel can permanently deform under impact.	Timber can experience extreme fiber bending after impact and is much less rigid than FRP.
Weight	FRP materials are light weight. Generally on an equal volume basis, pultruded fiberglass will weigh only 25% of the weight of steel and 70% of the weight of aluminum.	Aluminum is generally light-weight - about 1/3 that of copper or steel, but heavier than FRP.	Steel may require lifting equipment to move and place.	Timber is comparable to fiberglass, but not as strong.
Thermal Conductivity	FRP products are low in thermal conductivity and FRP products do not expand or contract like metals. This feature can provide a significant degree of thermal insulation. It also can be a safety feature.	Aluminum is a heat conductor with high thermal conductivity.	Steel is thermally conductive.	Timber has low thermal conductivity.
EMI/RFI Transparent	FRP materials are transparent to radar and radio waves. This feature can benefit applications such as antenna / cellular shielding. This impressive approval requires stringent independent testing in cellular applications.	Aluminum is highly reflective and can interfere with EMI/RFI transmissions.	Steel can interfere with EMI/RFI transmissions.	Timber is transparent to EMI/RFI transmissions.
Ease of Fabrication	FRP can be field fabricated using simple carpenter tools with carbide or diamond tip blades; no torches or welding is required. Composite design can be customized for required finishes and slip-resistance.	Aluminum can be welded, brazed, soldered or mechanically joined but requires more skilled workers than steel fabrication.	Steel often requires welding and cutting torches; Steel is also much heavier, requiring more labor and special handling equipment.	Timber can be field fabricated using simple carpenter tools.
Life Cycle Cost	Composite materials will generally have a significantly longer life expectancy and are virtually maintenance free. Pigments added to the resin provide color and require no painting maintenance.	Aluminum may have a lower initial cost and extrusion tooling is relatively inexpensive. Part prices are comparable or slightly lower, but long-term costs are generally greater than FRP.	Steel may have a lower initial cost, however, installation and maintenance costs will lead to higher lifecycle costs.	Timber has a lower initial cost, however, installation, maintenance and replacement costs will result in higher lifecycle costs. To maintain color, re-painting may be required.

FRP PORTABLE CABINS



Concept for Portable Workstations



Mobile Modular Functional Living Space

- Day Care Center
- Rescue Center
- FRP Cabins
- Bunk House
- Portable Cabin
- Field Office
- Mobile Clinic
- Toll Booth Cabins
- Prefabricated Shelter



Concept for Medical Emergency



PERSPECTIVE VIEW



Pre-fabricated cabins / FRP Cabins are used for different industrial as well as commercial purposes. These pre-fabricated cabins comprise the following features:

- Light weight
- Strong and Flexible
- Weather Proof
- UV Resistant
- Chemical Resistant
- Fire Retardant
- No Rust
- Stackable
- Anti-Algae /Low Maintenance



FRP Security Cabins



METAL FORM



BENEFITS

- Light steel structure system is safe and reliable.
- Easy assembly and disassembly: It can be assembled and disassembled many times, used repeatedly.
- Environmental protection and economy
- Easy to assemble and disassemble
- Low maintenance

PRE - FAB WOODEN CABIN



- Suitable for:
- Office
 - Conference Room
 - Vacation house
 - Farm House
 - Recreational Room

Pre - Fab Wooden Cabin

Dimensions
Length: 7.2 Meters
Width: 7.4 Meters
Height: 4.4 Meters



FOOD TRUCK/KIOSK TRAILER

- Offers Variety of Food Items
- Can transport Place to Place
- Having big space for storage
- Trailer's made of high Quality materials

Dimensions
Length: 3.6 Meters
Width: 1.80 Meters
Height: 2.3 Meters



FLOATING PONTOON



Extreme Stability with slip resistant materials



- Durable with minimal maintenance Require
- High Quality Materials and fabrication
- High Load Bearing Capacity



PORTALET

Material: HDPE. UV-proof.

Available colours: Blue; Red; Grey.

Size:

1.15m*1.15m*2.3m

Accessories:

Seated toilet bowl;

waste tank (390L); water holding tank (130L);

washing basin; water tap;

Ventilation pipe; foot pumps;

Mirror; in-use indicator; gender sign; Skid feet;

Optional soap dispenser & paper roll.

Weight:

115KGs.



Portable Toilet with Trailer


Movable toilet with trailer is a modern, portable, self-contained outhouse manufactured of molded fiberglass.

This model is a portable toilet mounted on a trailer. The trailer is suitable to hook behind a truck.

Fittings: Stop light, hook, 2 rooms, 2 tires, 2 ladder, toilet pan, lockable doors, ventilation (fan) near the top, hand washing facilities (basin and tap).and is often used as a temporary toilet for construction sites and large gatherings and events.

Volume of water tank: 400L

Volume of water tank: 500L



FRP PRODUCTS

FRP BENCH



FRP Chair & Gang Chair

FRP Chair offer high degree of fire resistance compared to wood and ordinary plastic.


- Perfect for Classroom, Seminar and Testing Rooms
- Right Handed FRP Tablet Arm with writing Utensil holder
- Under Seat Book Storage Bas
- Colors available



FRP PLANTERS BOX & ARTIFICIAL GRASS



FRP BALUSTERS



Artificial Grass

FRP MOVABLE KIOSK



Specifications

Mobile Food Carts

- FRP multi-function, mobile food cart
- Beautiful shape
- Movable food cart with trailer

All the model of the products can be customized, the color and the size can be changed as the buyers requirements.

This fully functional retail cart/kiosk unit has a beautiful blend of aluminum , fiberglass & FRP translucent sheet modeled in a typical contemporary style. Point of Sale desk, locking drawers, electrical plugs and a data line connector are included.

FRP Bamboo Fence & FRP Decorative Rocks



Used as stand alone for decoration FRP rock enclosures cleverly allow you to hide unsightly objects on your lawn, water pipe or other landscapes. Tall, short, wide, or long, we carry an artificial rock enclosure to meet your landscaping needs.

1. High recyclable, eco-friendly,
2. with the look of the natural wood but less timber problems
3. Weather resistant,
4. Available in different colors
4. Easy to install and clean

PRE-FAB FIBERGLASS CABIN

- EASY TO INSTALL
- EASY TO MOVE
- IDEAL TO USE AS OFFICE, HOUSE, TEMPORARY FACILITY & ETC.
- WITH LIFESPAN OF MORE THAN 25 YEARS



20ft flat-pack container house

Size: 5850*2300*2600mm

Insulation: EPS, Fiberglass, Rock Wool or PU Sandwich Panel

Fitting: Sandwich Panel Door, Plastic steel window, ceiling light, switch and switch box circuit breaker, sockets



40ft flat-pack container house

Size: 11800*2300*2600mm

Insulation: EPS, Fiberglass, Rock Wool or PU Sandwich Panel

Fitting: Sandwich Panel Door, Plastic steel window, ceiling light, switch and switch box circuit breaker, sockets



FRP MODULAR WOODEN CABIN



FIBERGLASS TANK

State-of-the-art helical filament winding technology



FRP ABOVE GROUND TANK

Fabricated utilizing the innovative filament winding technology, these defect-resistant storage vessels are designed to provide decades of trouble free service in harsh environments. Their low maintenance demands and natural resistance to contamination make them ideal for the containment of water, fuel and chemical.



FRP UNDERGROUND TANK

FRP Underground tank material can provide you with a leak-proof container. This will prevent cracks from forming in your tank and causing problems. Additionally, fiberglass has a high resistance to both rusting and corrosion. This can provide further protection against harmful pollutants.



FRP / SS MODULAR WATER TANK

- Long lasting without any need of external care
- Low Maintenance
- Strength & Flexibility
- Corrosion free



WATER STORAGE TANKS COMPARATIVE ADVANTAGE

DURABILITY				
Filament Winding water tanks	Fiber Glass Hand Lay-up water tanks	PVC water tanks	Steel water tanks	Concrete water tanks
<p>§ No service failures reported in 25+ years.</p> <p>§ Hot pressed sheet mould compound (SMC) at 150° C and 100 Kg pressure per cm² produce a uniform panel of solid homogenous construction.</p> <p>§ Average serviceable life for panels in normal conditions without maintenance is ± 40 years.</p> <p>§ Tested for heavy impact, weather, loads, settling and earth quakes.</p> <p>§ Safety factor of 8 x above maximum anticipated load.</p> <p>§ Excellent ultra violet (UV) resistant characteristics and performance.</p>	<p>§ Hand lay-up manufacturing process is unable to deliver consistent quality laminate thickness and is dependant on the level of skills provided by labour. Even with skilled labour, homogenous laminate is almost impossible to attain which leads to a weak constructed tank.</p> <p>§ Average serviceable life under normal conditions is ±5 years; in variable climates with extremes of temperature this will be reduced even further.</p> <p>§ Rough surfaces accelerate delamination of the fibers particularly when exposed to UV rays from sunlight.</p> <p>§ Brittle in construction that results in damage.</p>	<p>§ Exposure to weather variations such as cold, heat and UV rays on a thinly walled tank, which has continuously changing water levels, causes embrittlement resulting in cracking and a short life span.</p> <p>§ Fragile and could be damaged by surrounding normal activities.</p> <p>§ Due to the extreme lightness of the tank a normal light storm could break the connecting pipes and blow the tank away when it is empty. When used on a roof concrete block are placed in the tank to minimise the risk of being blown away by the wind when empty.</p>	<p>§ Exposure to weather variations such as cold and heat as well as varying water levels on the tank walls results in expansion and contraction creating cracks on the laminated surfaces which leads to a shorter life due to corrosion.</p> <p>§ Lack of regular maintenance results in a short life for steel water tanks.</p>	<p>§ Durable when no settlement or cracking occurs.</p> <p>§ Concrete is highly absorbent of water. Heat and humidity above variable water levels in a closed tank increase absorption reaching the reinforced steel bars causing corrosion that leads to expansion and ultimately cracking of the concrete.</p> <p>§ Concrete has high thermal conductivity, which in cold weather freezes water and results in cracking.</p>

FIBERGLASS TANK LINING



Chemical Storage Tank after being re-lined with fiberglass.

In-place upgrade tank lining services for older fiberglass tanks used to store chemicals, waste streams, gasoline, alcohol blended fuels, oil and the new Bio-diesel fuels.


FRP lining provides excellent corrosion resistant and good adhesion with base material that enhance effective life of the equipments.

We usually give the services to chemical industry, power plant, mining industry and etc, whatever it is, steel equipments or concrete base.

Fiberglass Tank Lining

- Excellent corrosion resistance to various chemicals & gases.
- Short time application.

FIBERGLASS COOLING TOWER PANEL




Fiberglass Cooling Towers deliver long life with minimum maintenance

- Cooling tower panel can manufacture for special purposed translucent / opaque corrugated panels, resistant to strong acids, alkali and high-concentration organic solvents.

REPAIR WATER TANKS & SWIMMING POOL RELINING



- FRP linings with vinyl ester resin systems can resist numerous corrosive cargoes at elevated temperatures.
- FRP linings cost less than replacing existing steel tank bottoms.
- Since FRP linings can be installed more quickly, they minimize down time, so the tank can be placed back into service much sooner than it could with conventional tank linings or bottom replacement with new steel.



Cooling tower FRP panel

- Perfect quality, lowest price
- Very suitable for different type cooling tower exterior / inner wall panel

Features:

- FRP Cooling Towers are more compact, light in weight, less power consumption & long lasting.
- Durable and low maintenance
- We can also produce any custom sections and sizes as required.
- Corrosion & chemical resistant property
- Rust resistance



FRP Cooling Tower Bottle Shape Model



FRP Swimming Pool lining can be placed over existing concrete, aluminum, steel, plaster surfaces and replaces vinyl, rubber, and plastic liners

- Excellent corrosive resistance
- non-rusting
- Shatter free, leak proof,
- non-cracking material
- Algae resistance
- Repairable
- Less Maintenance

FRP WATER PIPES



FRP for Irrigation

FRP aboveground and underground piping is used for municipal, chemical, and industrial applications including transmission of acids, caustics & solvents, and for cooling tower lines, wastewater treatment process lines, raw water inlet and discharge lines.




Wastewater Applications



Oil field gathering lines

FRP PIPES & FITTINGS



FRP pipe has excellent hydraulic and physical performance, it can resist acid, alkali, salt, seawater, wastewater, corrosive soil, and various organic solvent. No any other anti-corrosive treatment is needed.

- FRP pipe has great unsupported strength capability
- Corrosion resistant interior and exterior
- Light weight
- Easy to fabricate / install, and has a very smooth interior for higher flow rates
- Flexible System
- Flame retardant & heat resistance

While sewer and drainage piping continues to be dominated by concrete, there are many areas where FRP is the preferred choice. Concrete pipe deteriorates rapidly in sewage due to hydrogen sulfide attack. FRP is unaffected by hydrogen sulfide or purging with caustic or hypochlorite to suppress sulfide odor.

Frp Pipe Fitting

- Performance Tested
- Leak-Free Joints
- Low Maintenance



FRP PORTABLE WATER TANK & BIKE SHELTER



FRP Mobile Bike Parking Station

FRP Mobile bike station, a small trailer truck will serve as mobile bicycle shelters on designated bicycle lanes along Metro Manila.



FRP Portable Water Tank With Trailer

- With no joints or seams to leak or cause problems
- They will not rust, chip, peel or corrode and they have a unique ribbed design that gives the tank added strength.
- Economical way to add holding capacity for water in portable rescue situations.
- All of our trailers are built Heavy Duty to allow for a long life.



FRP Portable Supply Box

Features:

- With Trailer
- Customizable sizes
- Has great load bearing capacity
- Supply Box is made of Fiberglass
- Volume Capacity :
4.50 cum / 4500ltrs
- Dimensions:
Length : 2.30 mtr
Width : 1.40 mtr
Height : 1.40 mtr


FIBERGLASS PRV METER BOX



The **meter box** can be fixed on the wall or installed on the electric pole. It is suitable for both electronic meters and mechanical meters, and users also can install switches, fuses and terminal boxes in the meter box.

- Fireproof
- Corrosion resistance
- High strength
- Light weight
- Water proof
- Long service

FLOATING TOILET




- Durable Components
- Portability and Stability
- Wide range of climates
- Slip resistant materials
- Easy to maintain

Supply Storage Cabin with Trailer
 Width: 2400 mm
 Length (Cabin): 4570 mm
 Height: 2400 mm

CUSTOMIZED CABIN



FRP PAYAO



WE REPAIR FIBERGLASS AND STEEL PRODUCTS



BEFORE

AFTER



FRP GARBAGE CHUTE



FIBERGLASS GARBAGE CHUTE


Installed on every floor of a building to allow rapid transport & centralization of its garbage disposal collection. This makes garbage collection more efficient and hygienic.



- Garbage chute
- Construction chute
- Garbage intake door
- FRP Garbage through

For low, medium, high-end housing condominiums and hotels, garbage chute, debris chute and laundry chute

FRP GREASE TRAP



- 20 GPM Grease Trap

- Will handle continuous high temperatures
- Light weight, easy to handle & shippable anywhere
- Will never corrode, includes stainless Steel fasteners for cover
- Grease traps eliminate grease residues that clog the sewer lines overtime
- Units can be buried or installed above ground depending on the application
- Grease interceptors should be cleaned routinely
- Commercial grease traps are determined by the weight capacity and the fluid flow rates



- 4 GPM Grease Trap



- 15 GPM Grease Trap



- 50 GPM Grease Trap

FRP Grease Trap System is a specialty container design to separate grease, oil, and fats from water by means of gravity and **coalescing plate**. After separation, clean water is discharged to the septic system while grease, oils, and fats are retained in the filtration chamber of the collection container for proper disposal at a later time.

FRP MANHOLE COVER



Available in 16" 24" 40.25" & 45"
(special diameters can be customized
per special request).

- Watertight
- Light weight for safety
- Strong (3 tons rolling load)
- Retractable handle, pry or lift stick
- Non-slip
- Easy and fast to install
- Corrosion Resistant
- Keeps surface water out
- Theft Deterrent - no scrap iron value



- Round FRP Manhole cover
- Square FRP manhole cover



Considering the superior properties and the advantages over the Cast Iron, FRP manhole covers, is the most cost effective and technically superior product to replace & eliminate the problems faced with the existing cast iron manhole covers.

FRP SAND STRAINER

FRP CABLE TRAY

FRP Fiberglass cable tray is a brand new innovational product. With anti-corrosion, insulation, cost competitive and other notable feature of high-strength, FRP cable tray has become the best replacement for iron cable tray in explosive, acid, alkali environment to run your electrical cable and instrumentation pipe work.



FRP Sand Basket Strainers constructed of Isophthalic Resin, including FRP cover with viewing window, stainless steel bolts and one vertically pleated, 1/8" perforated basket with a minimum 40cm Open Area (OA) & 60cm Depth.

- Top diffuser ensures even distribution of water over the top of the sand bed
- Large sand / water drain for rapid service
- Suitable for all- weather performance
- Easy-to-use water drain plug and multi-port valve / filter operation with a simple lever-action
- UV resistance surface allows the filter to work under direct sunlight

Applications:


- Swimming Pool,
- Side stream filter to Cooling tower
- Textiles • Food- Beverages & Breweries
- Boiler & Cooling Towers
- Hotels , Hospitals, Restaurant • Process water

FRP GRATINGS

Fiberglass Cross Arm



- High Strength, Corrosion resistance, Chemical resistance, Aging resistance, insulation.
- Color: Red, black, yellow, gray
- Both ends of rectangular tube are equipped with FRP cover.
- Customer size, color and length are available.



FRP Grating Systems are designed to accommodate various applications.



FRP grating used in marine decking, exhibits benefits in corrosive environment



FRP grating used at integrated floatable bridge.



FRP fire retardant grade gratings serve as platforms in offshore and onshore oil refinery.




FRP grating are most recommended to use in waste water treatment plant, chemical plant and other industries which are chemical environment.





FRP gratings as trench covers are commonly used in public amenities, Recreation Park, power plant, fertilizer plant and etc.

OTHER PRODUCTS

FRP Pultruded Structural FRP Deck



FRP Stairtread



FRP Cable Ladder



FRP Handrail



FRP Light Duty Handrail



FRP Trash Screen



FRP Integrated Floatable Bridge



FRP Round Flap Gate



FRP Drain Cover - MS Frame



FRP Drain Cover - FRP Frame



FRP Square Mesh Drain Cover 



FRP Tank



FRP Lining



FRP Scrubber



STEEL & STAINLESS WORKS FABRICATION



Steel Trailer

Stainless railings

Stainless awning support




Double Deck Trailer

Trusses



STONWORKS metal fabricators specializes in the manufacture and of high quality marine parts using the finest marine grade stainless & steel.


FRP RAILINGS AND LADDER SYSTEM



FRP SEPTIC TANK



10 cu. cubic meter



5 cu. meter

Fiberglass septic tanks offer a strong, rigid, easy-to-handle septic tank solution with the same non-corrosive properties as polyethylene as well as added flexibility in the molding process to accommodate a wide range of plumbing.



FRP Septic Tank

- Has a culturing chamber (which consists of a reticulate thin FRP membrane) that promotes the growth of aerobic bacteria where aerobic bacteria decomposed
- Light weight
- Applicable to all type of soil
- Environment Friendly
- Transferable

	Type A
Shape	Corn
Volume (cu. Meter)	0.98
Inlet	4" PVC
Outlet	4" PVC
Height (meter)	1.39
Diameter (meter)	1.03
Capacity (liters)	1000

INSIDE STRUCTURE

STRUCTURE	2 CHAMBER
A. Manhole	
B. Top Cover	
C. Strainer (second chamber)	
D. Water Plate	



FRP AQUACULTURE TANK & FRP OPEN CANAL




- APPLICATION:
- Backyard Fish Culture
 - Stocking Tank for live fishes.

- Can raise up to 300 fish (tilapia)
- Can be installed in uneven surfaces
- Has a bio-filter system
- Corrosion resistance
- Non-Toxic
- Can be connected with other tanks
- Made with high quality material that provides enhanced stiffness in combination with superior impact-resistant properties



- Perfect for rice water irrigation
- Prevents a contamination of groundwater by sewage.
- Require minimal space, labor time, than cement.
- Easy to install, maintain and cost much less.
- Easy to carry and very unbreakable.



DRAINAGE CANAL W400MM X L 1200MM XH 400MM

FRP ART PIECES



FRP CUSTOMIZE SIGNAGE



FRP AND STEEL DIE CUT SIGNAGE



FRP FLOATATION



A floatie Dock can be altered in size, shape and location with great ease and little expenses.

FRP Floatie is so adaptable it can be used for :

- Marina docks
- Ferry Landing
- Fish Farming
- Loading ramps
- Swimming enclosures
- Floating stages
- Dinghy docks
- Dive platform

Modular floating dock
Color: blue
orange
grey
black
brown
and yellow

FLOATIE Fiberglass Floating System

- Sturdy
- Reliable
- Economical
- Corrosion Free
- Easy Assembly
- Unrivaled Loading Capacity



FRP BUOY

FRP FISHING & AQUACULTURE BUOY



Aquaculture Buoy

A fishing float is an important floatation device to help keep nets afloat and to mark their location.

- FRP material
- High anti-pressure ability
- Water absorption rate is 0
- Reusable
- Used together with many kinds of fishing net for fishing and fish farming in shallow sea or lake.

FRP buoys are perfect for marking anchors, moorings, hazards and swim areas. Great for setting up a personal watercraft , sailboat race course or marine aquaculture. Available in Red, orange or Yellow.

MARINE SAFETY EQUIPMENT AND ACCESSORIES



50' x 9/32" 660lb test
15m x 7mm 300 kg test
Braided MFP Poly propylene floating rope ,
bright orange nylon and poly ester self-
draining bag comes with adjustable strap
and 3M reflective safety band



INFLATABLE LIFERAFT

Product Standard

- This liferaft is suitable for installing in vessels sailing on international voyages.
- It meets the requirements of (Regulations for the Statutory Surveys of Ships and Offshore Installations)
- Technical Regulations for the Statutory Surveys of Sea-going Ships surface

RESCUE ROPE BAG




Rescue Tube



Rescue Can



Fixed Basket Stretcher



Description
Water Rescue Throw Bag,
Large - 10mm rope

Water Rescue Throw Bag,
Small - 7mm rope



FRP Spine Board

- The board allows for easy maneuvering with significant reduction of spinal disturbance to the patient.
- The board raised for easy access lift.
- The board has larger handholds designed to accommodate gloved hands.
- This lightweight one piece molded board is comprised of a combination of tough, space age materials resulting in a hygienically clean surface with no seams, cracks or crevices.

Red-and-white lifebuoy



LIFE VEST




STONEWORKS MARINE



MOULDED LENGTH:	15 METERS
MOULDED BREATH:	3.83 METERS
DRAFT:	0.57 METERS
ENGINE:	1 X 240HP YANMAR MARINE DIESEL ENGINE
SPEED MAX:	10 KNOTS @ LIGHT CONDITION
HULL CONSTRUCTION	MOULDED FIBERGLASS WITH TOP HAT LONGITUDINAL FRAME

FERRY BOAT



MODERNIZATION OF BOAT



SPEEDCAT 2

11.24m Fiberglass Passenger Ferry (22pax)
2 x 225hp Mercury Outboard Engine
Forward and Aft Ingress
Top Speed at 36 knots



M/B PRINCESS DHEA

34ft Fiberglass Passenger Boat (18pax)
2 x 200hp Mercury Outboard Engine
Forward and Aft Ingress
Top Speed at 32 knots



M/B MUTYA NG PASIG

13m Fiberglass Passenger Ferry (57pax)
2 x 240hp Yanmar V-Drive Diesel Engine
1 x Toilet Room
Forward and Aft Ingress Egress
Equipped of CCTV Cameras

ORIENT CRAFT 2100 (Ferry Boat)

- Passenger Boat
- Research Boat
- Cargo Ferry
- Fishing Boat

PARTICULARS

Length Moulded	21.00 meter
Breadth Molded	4.40 meter
Depth Molded	2.58 meter
Draft (Fairbody)	1.15 meter



ORIENT CRAFT 1600 (Quarantine Boat)

- Passenger Boat
- Research Boat
- Quarantine Boat
- Fishing Boat

PARTICULARS

Length Moulded	16.00 meter
Breadth Molded	3.80 meter
Depth Molded	1.70 meter
Draft (Fairbody)	0.80 meter





ORIENT CRAFT 1300 (Passenger Boat)

- Passenger Boat
- Research Boat
- Patrol Boat
- Sea Ambulance

PARTICULARS

Length Moulded	13.00 meter
Breadth Molded	3.80 meter
Depth Molded	1.75 meter
Draft (Fairbody)	0.80 meter





ORIENT CRAFT 1200 (Support Craft)

- Passenger Boat
- Research Boat
- Patrol Boat
- Sea Ambulance

PARTICULARS

Length Moulded	12.00 meter
Breadth Molded	3.80 meter
Depth Molded	1.75 meter
Draft (Fairbody)	0.80 meter



• Orient Craft 1200
Patrol Boat



ORIENT CRAFT 1135 (Cabin Cruiser)

- Cabin Cruiser
- Fast Assault Craft
- Passenger Boat
- Patrol Boat

PARTICULARS

Length Moulded	11.35 meter
Breadth Molded	3.60 meter
Depth Molded	1.50 meter
Draft (Fairbody)	0.80 meter



ORIENT CRAFT 1135
(Fast Assault Craft)




ORIENT CRAFT 1100 (Shallow V Hull)

- Glass Bottom Boat
- Fire and Rescue Boat
- Ferry Boat
- Patrol Boat

PARTICULARS

Length Moulded	11.00 meter
Breadth Molded	3.00 meter
Depth Molded	1.00 meter
Draft (Fairbody)	0.80 meter



Glass Bottom

ORIENT CRAFT 1130 (Deep V Hull)

- Sea Ambulance Boat
- Fire and Rescue Boat
- Patrol Boat (Gun Mounted)

PARTICULARS

Length Moulded	11.30 meter
Breadth Molded	3.00 meter
Depth Molded	1.50 meter
Draft (Fairbody)	0.60 meter





ORIENT CRAFT 900 (Passenger Boat)

- Passenger Boat
- Sea Ambulance
- Rescue Boat
- Patrol Boat

PARTICULARS

Length Moulded	9.00 meter
Breadth Molded	2.74 meter
Depth Molded	1.20 meter
Draft (Fairbody)	0.40 meter



ORIENT CRAFT 900 v2 (Sea Ambulance Boat)

- Passenger Boat
- Sea Ambulance
- Rescue Boat
- Patrol Boat

PARTICULARS

Length Moulded	9.00 meter
Breadth Molded	2.10 meter
Depth Molded	1.20 meter
Draft (Fairbody)	0.40 meter





ORIENT CRAFT 900

Sea Ambulance Boat

PARTICULARS

Length Moulded: 9:0 Meters
 Breadth Molded: 2.70 Meters
 Depth Molded: 1.25 Meters



ORIENT CRAFT 900

Sea Ambulance Boat

PARTICULARS

Length Moulded: 9.0 Meters
 Breadth Molded: 2.70 Meters
 Depth Molded: 1.25 Meters



ORIENT CRAFT 900

Sea Ambulance Boat

PARTICULARS

Length Moulded: 9.0 Meter
 Breadth Molded: 2.5 Meter
 Depth Molded: 1.25 Meters



ORIENT CRAFT 1000

Ferry Boat

PARTICULARS

Length Moulded: 10 Meters

Breadth Molded: 2.70 Meters

Depth Molded: 1.20 Meters



ORIENT CRAFT 914

Fire Boat

PARTICULARS

Length Moulded: 9.14 Meter

Breadth Molded: 2.70 Meter

Depth Molded: 1.20 Meter

- Fire Boat
- Patrol Boat
- Rescue Boat



ORIENT CRAFT 914

Bow Rider

PARTICULARS

Length Moulded: 9.14 Meter

Breadth Molded: 2.70 Meter

Depth Molded: 1.20 Meter





ORIENT CRAFT 1000

Sea Ambulance

PARTICULARS

Length Moulded: 9.10 Meters

Breadth Molded: 2.70 Meters

Depth Molded: 1.20 Meters



ORIENT CRAFT 914

Patrol Boat

PARTICULARS

Length Moulded: 9.14 Meter

Breadth Molded: 2.70 Meter

Depth Molded: 1.20 Meter

- Fire Boat
- Patrol Boat
- Rescue Boat



ORIENT CRAFT 914

Glass Bottom Boat

PARTICULARS

Length Moulded: 9.14 Meter

Breadth Molded: 2.70 Meter

Depth Molded: 1.20 Meter





ORIENT CRAFT 884 (Sea Ambulance Boat)

- Passenger Boat
- Sea Ambulance
- Rescue Boat
- Patrol Boat

PARTICULARS

Length Moulded	8.84 meter
Breadth Molded	2.13 meter
Depth Molded	0.98 meter
Draft (Fairbody)	0.40 meter



ORIENT CRAFT 884 v2 (Dive and Rescue Boat)

- Passenger Boat
- Rescue Boat
- Patrol Boat

PARTICULARS

Length Moulded	8.84 meter
Breadth Molded	2.74 meter
Depth Molded	1.2 meter



ORIENT CRAFT 790 (Scout Boat)

- Scout Boat
- Rescue Boat
- Patrol Boat

PARTICULARS

Length Moulded	7.90 meter
Breadth Molded	2.10 meter
Depth Molded	0.98 meter
Draft (Fairbody)	0.40 meter



ORIENT CRAFT 732 (Panga Hull)

- Scout Boat
- Rescue Boat
- Patrol Boat

PARTICULARS

Length Moulded	7.32 meter
Breadth Molded	2.13 meter
Depth Molded	0.98 meter



ORIENT CRAFT 732 v2 (Dive Boat)

- Scout Boat
- Rescue Boat
- Patrol Boat

PARTICULARS

Length Moulded	7.32 meter
Breadth Molded	2.13 meter
Depth Molded	0.98 meter



ORIENT CRAFT 732 v3 (Bow Rider)

- Scout Boat
- Rescue Boat
- Patrol Boat

PARTICULARS

Length Moulded	7.32 meter
Breadth Molded	2.13 meter
Depth Molded	0.98 meter



ORIENT CRAFT 670 (Rigid Buoyant Boat)

- Search & Rescue Boat
- Fire Boat
- Patrol Boat

PARTICULARS

Length Moulded	6.70 meter
Breadth Molded	1.90 meter
Depth Molded	0.90 meter



ORIENT CRAFT 622 (RBB Fire Boat)

- Fire Boat
- Rescue Boat
- Patrol Boat

PARTICULARS

Length Moulded	6.22 meter
Breadth Molded	1.70 meter
Depth Molded	0.90 meter



ORIENT CRAFT 610 (Banana Boat)

- Service Boat
- Rescue Boat
- Patrol Boat

PARTICULARS

Length Moulded	6.10 meter
Breadth Molded	1.04 meter
Depth Molded	0.55 meter



ORIENT CRAFT 552 (Catamaran Boat)

PARTICULARS

Length Moulded	5.52 meter
Breadth Molded	2.70 meter
Depth Molded	0.96 meter



ORIENT CRAFT 475 (Dinghy Boat w/ Retractable Wheels)

- Service
- Rescue Boat
- Patrol Boat

PARTICULARS

Length Moulded	4.75 meter
Breadth Molded	1.64 meter
Depth Molded	0.70 meter



ORIENT CRAFT 450 & 280 (Dinghy)

PARTICULARS	HIGH SIDE	LOW SIDE
Length Moulded	4.75 meter	2.82 meter
Breadth Molded	1.64 meter	1.29 meter
Depth Molded	0.45 meter	0.45 meter



ORIENT CRAFT 427 & 282 (Row Boat)

PARTICULARS	427	282
Length Moulded	4.27 meter	2.82 meter
Breadth Molded	1.30 meter	1.22 meter
Depth Molded	0.41 meter	0.69 meter
Max Capacity	6 Person	4 Person





ORIENT CRAFT 366 & 274 (Kayak)

PARTICULARS

Length Moulded	3.66 meter	2.74 meter
Breadth Molded	1.64 meter	1.29 meter
Depth Molded	0.70 meter	0.45 meter













KAYAK 339 (Clear Kayak)

Kayak Details:
Material Special
Capacity 200 kgs (400 lbs)

PARTICULARS

Length Moulded	3.39 meter	2 Paddle
Breadth Molded	0.91 meter	2 Seater
Depth Molded	0.34 meter	Floating Bag
Weight	21 kgs	Frame 1 Set



	Type: double seats Size:390x76x28cm Weight:32kg Max load capacity: 250kg 20ft:27pcs+ 12pcs single kayak 40hq:90pcs		Type:Single seat Size:287x80x23cm Weight:22kg Max load capacity: 120kg 20FT/40HQ:54/125						
	Type: family kayak Size:370x86x40cm Weight:32kg Max load capacity: 300kg 20ft: 23pcs+15single kayak 40hq: 85		Type:Single seat Size:185x27.4x64cm Weight:10kg Max load capacity: 50kg 20FT/40HQ:70/155						
	Type: single seat Size:300x80x37cm Weight:25kg Max load capacity: 160kg 20FT/40HQ:44/100	<table border="1"> <tr> <td>kayak paddle</td> <td></td> <td>Color options: Black, white, yellow,etc</td> </tr> <tr> <td>kayak paddle</td> <td></td> <td>Color options: Black, white, yellow,etc</td> </tr> </table>		kayak paddle		Color options: Black, white, yellow,etc	kayak paddle		Color options: Black, white, yellow,etc
kayak paddle		Color options: Black, white, yellow,etc							
kayak paddle		Color options: Black, white, yellow,etc							
	Type:Single seat Size:297x80x42 Weight:22kg Max load capacity: 150kg 20FT/40HQ:54/125								



Specifications

- Frp pedal boat
 - For kids or adult
 - 4 person using
 - 3.1*1.5*0.7M
- Color:customzied
Sunshade:optional



ORIENT CRAFT (FRP Pedal Boat with Gun)

Product Specifications:

- Pedal Boat
(4 Persons Pedal Type)
Size: (WxDxH): 3750*1500*750mm Net
Weight: 140kg
Total Cubage: 5CBM Load
Person: 4 persons



ORIENT CRAFT (Swan Pedal Boat)





ORIENT CRAFT (Water Tricycle)



- Strong FRP material
- Chair FRP
- Awning Tarp
- For any waters

ORIENT CRAFT (Waterbike)

FRP hull, lightweight, corrosion resistance, bright color and smooth, speed is also greatly improved, highly physical exercise and leisure entertainment.

This FRP water bicycle can be widely used for sea, lake, river, amusement park & pool.



FRP DONUT BOAT

- Durable
- Light weight
- Superior strenght
- Anti-corrosion
- Water-proof




FRP OUTRIGGER BOAT

ORIENT CRAFT 1760 (Sport Fishing Banca)

- Fishing Banca
- Rescue Banca
- Patrol Banca

PARTICULARS

Length Moulded	17.60 meter
Breadth Molded	2.10 meter
Depth Molded	1.80 meter
Engine	180-250hp
	Inboard Diesel
Fish Hold	2 x 3.5 cu.m



ORIENT CRAFT 1067 (Fishing Banca)

PARTICULARS

Length Moulded	10.67 meter
Breadth Molded	1.35 meter
Depth Molded	0.96 meter

ORIENT CRAFT 1370 (Fishing Banca)

PARTICULARS

Length Moulded	13.70 meter
Breadth Molded	1.46 meter
Depth Molded	1.28 meter



ORIENT CRAFT 365 (Pakura Boat)

PARTICULARS

Length Moulded	3.65 meter
Breadth Molded	0.90 meter
Depth Molded	0.35 meter

NEW BOATS DESIGN



ORIENT CRAFT 2500 (Passenger Ferry)

PARTICULARS



Length Moulded	25.60 meter
Breadth Molded	6.47 meter
Draft (Fairbody)	0.98 meter
Engine	2 x 1200HP Inboard
Capacity	148 Seating



ORIENT CRAFT 790 (Sport Fishing Boat)

PARTICULARS


Length Moulded	7.90 meter
Breadth Molded	2.13 meter
Depth Molded	1.20 meter
Engine	2 x 150HP OBM




ORIENT CRAFT 900 (Bow Rider)

PARTICULARS

Length Moulded	9.00 meter
Breadth Molded	2.74 meter
Depth Molded	1.20 meter
Engine	2 x 250HP OBM



NEW BOATS DESIGN



ORIENT CRAFT 1300


Aluminum Ferry Boat

PARTICULARS

Length Moulded: 13.0 Meters

Breadth Moulded: 3.83 Meters

Depth Moulded: 1.75 Meters



ORIENT CRAFT 1300


Passenger Ferry

PARTICULARS

Length Moulded: 13.00 Meters

Breadth Moulded: 3.83 Meters

Depth Moulded: 1.75 Meters



ORIENT CRAFT 884


Electric Motor Boat

PARTICULARS


Length Moulded: 8.84 Meters

Breadth Moulded: 2.70 Meters

Depth Moulded: 1.20 Meter



NEW BOATS DESIGN



ORIENT CRAFT 800

Speed Boat
Cabin Cruiser

PARTICULARS

Length Moulded: 8.00 Meters
Breadth Moulded: 2.76 Meters
Depth Moulded: 1.50 Meters




ORIENT CRAFT 710

Speed Boat
Cabin Cruiser

PARTICULARS

Length Moulded: 7.10 Meters
Breadth Moulded: 2.23 Meters
Depth Moulded: 1.20 Meters



ORIENT CRAFT 1100

Speed Boat
Cabin Cruiser

PARTICULARS

Length Moulded: 11.00 Meters
Breadth Moulded: 3.85 Meters
Depth Moulded: 1.70 Meters



STEEL VESSELS

ORIENT CRAFT 3200

LCT Steel Vessel

PARTICULARS

Length Moulded: 32.0 Meters
Breadth Molded: 8.00 Meters
Depth Molded: 2.66 Meters





ORIENT CRAFT 3000

Research Vessel

PARTICULARS

Length Moulded: 30.0 Meters
Breadth Molded: 4.00 Meters
Depth Molded: 2.32 Meters



ORIENT CRAFT 1490

Survey Vessel

PARTICULARS

Length Moulded: 14.90 Meters
Breadth Molded: 4.60 Meters
Depth Molded: 2.20 Meters



ALUMINUM BOAT



ORIENT CRAFT

Aluminum Catamaran Boat
Cabin Cruiser

PARTICULARS

Length Moulded: 10.0 Meters

Breadth Moulded: 2.76 Meters

Depth Moulded: 1.50 Meters

CHARTERING BOATS

Need a boat for charter or rent? We have different sizes and types of boats for charter, clean, well maintained, and experienced crew.



PREVENTIVE MAINTENANCE OF BOATS

- Repair and Parts Replacement
- Modifications
- Inspection and Trouble Shooting
- Overall Cleaning





**ORIENT CRAFT 3200
(Landing Craft)**

Particulars

Length Overall	32.00 Mtr.
Breadth Moulded	8.00 Mtr.
Depth Moulded	2.66 Mtr.
D. W.T	250 Tons
Speed (Max)	14 knots



**ORIENT CRAFT 1480
(Party Boat)**

Particulars

Lenght (Moulded)	14.80 Mtr.
Breadth (Moulded)	7 Mtr.
Depth (Moulded)	1.40 Mtr.
Draft (Fairbody)	.60 Mtr.



**ORIENT CRAFT 1060
(Floating Restaurant)**

Particulars

Lenght (Moulded)	10.6 Mtr
Breadth (Moulded)	5.7 Mtr
Capacity	24 Pax

**ORIENT CRAFT 1600
(Floating Chapel)**

Particulars

Lenght Overall	16.00 Mtr.
Breadth (Moulded)	12.35 Mtr.
Capacity	46 Pax



SOLAR FLOOD LIGHTS



30 W



DIMENSION
PANEL:
130 x 150mm
LIGHTS:
130 x 130mm
WATER PROOF
RATE:
IP 67

45 W



DIMENSION
PANEL:
140 x 220mm
LIGHTS:
130 x 150mm
WATER PROOF
RATE:
IP 67

65 W



DIMENSION
PANEL:
180 x 270mm
LIGHTS:
160 x 210mm
WATER PROOF
RATE:
67

100 W



DIMENSION
PANEL:
230 x 350mm
LIGHTS:
200 x 250mm
WATER PROOF
RATE:
IP 67

200 W



DIMENSION
PANEL:
290 x 350mm
LIGHTS:
220 x 270mm
WATER PROOF
RATE:
IP 67

300 W



DIMENSION
PANEL:
350 x 400mm
LIGHTS:
260 x 320mm
WATER PROOF
RATE:
IP 67

400 W



DIMENSION
PANEL:
350 x 450mm
LIGHTS:
260 x 320mm
WATER PROOF
RATE:
IP 67

Solar Lights



Think Green Go Green

SOLAR STREET LIGHTS



100 W



DIMENSION
PANEL:
290 x 350mm
LIGHTS:
130 x 310mm
WATER PROOF
RATE:
IP 65

200 W



DIMENSION
PANEL:
350 x 450mm
LIGHTS:
210 x 400mm
WATER PROOF
RATE:
IP 65

300 W



DIMENSION
PANEL:
370 x 600mm
LIGHTS:
210 x 400mm
WATER PROOF
RATE:
IP 65


Go Solar

- Solar Battery charging
- Easy Installation without wires
- Long Service Life

- Environment friendly and Energy Saving
- High Quality Batteries
- Aluminum alloy body, prevent bask rain



SOLAR AIRCONDITIONER



SPECIFICATION:
 Model: HYBRID - ACDC12YZI
 Horse Power: 1.5 HP
 Capacity: 12,000 BTU
 Indoor Unit Power Supply: DC310V
 Outdoor Unit Power Supply: AC 208 - 230V
 DC 100 - 380V SUPPLIED BY
 SOLAR MODULE
FUNCTION: COOLING & HEATING
 Outdoor Unit Dimention: 800x545x315mm
 Indoor Unit Dimention: 850x220x300mm
 Panel Dimention: 1650x1090mm




Hybrid Solar Air Conditioner

Model: HYBRID-ACDC09/12/18
 Hybrid Solar Air Conditioner



ACDC Hybrid
 Solar Air Conditioner



SOLAR GENERATOR



- Mono Solar Panels
- Pure sine Wave Inverter 110 V or 220 V Dual Output

- Aluminum Panel Rack
- Solar Battery , Gel Battery, Lithium Battery



SEALEGS®

BE AMPHIBIOUS



AMPHIBIOUS ALL-TERRAIN VEHICLE **AVENGER 8X8**



Specification

Horsepower: 30Hp
Load Capacity: Land 1,070lb. (485kgs)
Water 920lb. (417kg)
Towing Capacity: 1,800lb. (816kg)
Fuel Capacity: 7.1 US Gallons (27 ltrs)
Weight: 1,330lb. (603kg)
Length: 119' (3,023mm)
Width: 60' (1,524mm)
Height: 46' (1,169mm)
Tires: Argo AT189 25x12-9
Warranty: 1 Year
Colors: Green/Red/Black



EXPLORE THE POSSIBILITIES!

ODG
SEAS • TRANSMISSIONS • COUPLINGS
WORLD LEADER IN AMPHIBIOUS VEHICLES



Main Office:

New Cavite Industrial Park
 Stateland Subd., Brgy. Manggahan,
 General Trias, Cavite, Philippines 4107

Contact Nos.: (046) 487 0190
 (02) 8664-8389 | (02) 8664-8370
 Mobile Nos.: 0917 5262732 | 0917 8394764
 0939 9211659 | 0908 8665769
 Email: ssipglobal@gmail.com

General Santos Plant

SFI Compound, Talisay, Tambler
 General Santos City, Philippines

Contact Nos.: (083) 877 9220
 Mobile Nos.: 0917 5262732 | 0917 8394764
 0939 9211659 | 0908 8665769

Visaya's Shipyard

Santiago Shipyard
 Tayud, Consolacion Cebu



@stoneworks.specialist



@Stoneworks Specialist



@stoneworksspecialist.ic_ph

